



*Leading
Window & Door
Systems*

Wintec Aluminium



Since our beginning in 1997, we have developed a range of window and door products that are innovative, functional and stylish.

Wintec Aluminium windows and doors are an all Australian designed and manufactured product, with modern designs and quality finish at the forefront of the Wintec philosophy.

An ongoing commitment to product development and service to our Australia wide fabricator base ensures that no matter where you are, you have access to the latest designs in the Window and Door industry.

“Australia’s Leading Window and Door Systems”

Products and Services

Aluminium Windows & Doors

Wintec have products to suit all areas in Australia – consisting of, Sliding windows, Sliding doors, Awning and Casement windows, Double Hung windows, Louvres, Sliding Multi Track doors and French doors.

Window & Door Testing Laboratory

The Wintec designed products are tested to Australian standard AS2047-1999 in NATA accredited laboratory No 14093. This ensures your windows and doors comply with the building code of Australia [BCA] and are suited to your particular location. In line with the BCA requirements Wintec windows and doors carry a 7 year guarantee. The Wintec Testing laboratory is available to the window industry for research and development and official Australian standards tests.





Sliding Window

This is a great looking window, featuring hollow sections for added strength with no unfinished or exposed edges. Heavy duty double rollers aid in the smooth operation and durability of the sash. With no internal projection of transom or sash sections, curtains and blinds can be operated without interference. The rounded sections and special sill design allow for safe and easy cleaning. A high quality sealing system provides low air infiltration rates which means better energy efficiency and very good acoustic results. The window is available in frame widths of 48mm, 65mm and 75mm.



Awning & Casement Window

The Awning and Casement windows feature hollow sections for added strength and security.

Rounded stiles and rails add to the appeal. Both systems are friction stay compatible and the Awning window can also accommodate a chain winder.

With a double sealing system, they are very effective at reducing noise transmission and energy loss.



Double Hung Window

The Standard Double hung features;

Hollow rails for added strength. Stiles are flush to the jambs offering clear sight lines. There is also built in extruded handles in top & bottom sash's. Insect & Security screens can be fitted from the inside.

The Federation [wide stile] features a wider sash that replicates that of timber double hungs & can be provided in dual colour combinations, i.e. Sash different to frame.





Sliding Door

Strength is the key feature of the sliding door, with rounded interlocks that offer both strength and style to the overall doors appeal. The Various sill types include low profile sills for Nursing homes and wheelchair accessibility. Once again, a high quality sealing system provides low air infiltration rates which means better energy efficiency and very good acoustic results. A maximum door height of 2700mm allows this door to be used in most applications and is a cost effective alternative to traditional commercial grade sliding doors. Built in security screen tracks add to this complete door system!



Multi-Track 200 Door

Open up your living area with the 200 multi track which has all the features of the sliding door with a stacking feature included. This door is a great alternative to the Bi fold. With a 2/3rd opening, the door panels do not impede on indoor or outdoor areas. It incorporates cost saving built in security tracks, that allow the screens to also stack aside without the need to fit add on track systems. In patio and balcony applications, the sill can be flush fitted with the drainage system underneath.




French Door

Strong hollow rails, stiles and mid rails give this French door the edge in strength and serviceability. The New in-swing version incorporating the Winstorm design sill offers a total sealing system around the frame. The sill has a wheelchair friendly slope and as a total system the French door can be used successfully in most locations to provide Energy efficiency, Sound reduction and weather protection.



Louvre Window



An excellent product for ventilation, the Louvre can accommodate glass, aluminium or timber blades utilising the CDA brand galleries.

Various operating systems are available such as remote control, handle locking bars as well as left and right handed manual operation.

The Wintec Louvre can be coupled to other Wintec products such as the Sliding and French Doors.

It is completed with built in flyscreen provision as part of the frame.


Double Glazed 300 Window



This is a Window that is ideally suited to improving the thermal and Acoustic properties of the home.

Starting with a frame size of 65mm, like all Wintec sliding windows the 300 has hollow sections for added strength and security.

Also featured are rounded stiles that prevent window coverings from catching and heavy duty double rollers that finish off another quality window product from Wintec.



DG 300 Cross Section



The Winstorm



Introducing the revolution to entrance doors...

The Winstorm, an aluminium self-draining inswing door sill. The Winstorm effectively seals your door from water penetration, air leaks and energy loss. Complies with the BCA and Australian Standard AS2047.

- No seal required on the door itself.
- Water penetrating past the seal will drain out, via the sills drainage system.
- Low profile design suitable for wheelchair access.
- Seal is replaceable without removing door or frame.
- Reduces rotting of timber frame and door.
- Reduces noise transmission.
- Suitable for single, single and sidelight doors, as well as double doors.
- Supplied with protective tape to prevent damage during construction stage.





Leading Window & Door Systems in energy acoustics, structural and weather to suit all locations.

- ✓ AS 2047-1999 & BCA Compliant
- ✓ WERS Custom Rated
- ✓ Australian Designed & Manufactured



Your nearest Wintec Fabricator is:



P 07 5535 4477
F 07 5535 4744

PO Box 2494
Burleigh Heads, QLD 4220

63-65 Dover Drive
Burleigh Heads, QLD 4220
www.wintecaluminium.com.au

